

Issue Date: 01 January 2026
Ref. No.: EB-TDS-2026-01

TECHNICAL DATA SHEET

EMIRBOARD Fibre Cement Boards

TECHNICAL PROPERTY	SPECIFICATION / TEST RESULT
Product Type	Fibre cement board - Smooth and Wood-grain textured
Standard Board Size	1200 × 2400 mm
Available Thicknesses	6 / 8 / 10 / 12 / 14 mm
Applicable Standards	EN 12467 / ISIRI 7515
EN 12467 Classification	Category A / Strength Class 3
Apparent Density	≥ 1,400 kg/m ³
Wet Flexural Strength	Meets Strength Class 3 requirements
Water Impermeability	Passed - no water droplets observed
Freeze-Thaw Resistance	Passed - 100 cycles
Soak-Dry Resistance	Passed - 50 cycles
Warm-Water Resistance	Passed - 56 days at 60°C
Heat-Rain Resistance	Passed - 50 cycles
Fire Performance	Non-combustibility tested in accordance with ISO 1182
Documentation	Test Report R-CT03-24603/F Certificate 14067-255-05

The information above is based on laboratory test results and applicable product standards. Detailed test reports, certificates and project-specific technical documentation are available upon request.

OFFICE

Battalgazi Mahallesi, Sultan Sanayi Sitesi,
Bostancı Sokak, A Blok No: 49, Sultanbeyli,
İstanbul 34935, Türkiye

FACTORY

No. 40, Panj Peykar Industrial Estate,
Bandar Torkaman, Golestan Province, Iran
+90 501 330 94 93 | info@emirboard.com
www.emirboard.com